L Number	Hits	Search Text	DB	Time stamp
1	5184	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:41
		@prad<20001201) and ((program\$1 or	US-PGPUB;	
		application\$1) adj level\$1)	EPO	
2	48	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:52
		@prad<20001201) and ((program\$1 or	US-PGPUB;	1
		application\$1) adj level\$1 with (critic\$5	EPO	
1	1050	or trust\$9))	IIODAM.	0004/07/00 10 50
3	1853	(@ad<20001201 or @rlad<20001201 or	USPAT; US-PGPUB;	2004/07/22 12:53
		<pre>@prad<20001201) and ((node\$1 or server\$1 or computer\$1) with(critic\$5 or trust\$9)</pre>	EPO	
		with (application\$1 or program\$1))	550	
4	1411	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:53
*		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	2001,07,22 12105
		or computer\$1) with(critic\$5) with	EPO	
		(application\$1 or program\$1))		1
5	141	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:55
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with (critic\$5) with (based	EPO	
		or depend\$3)with (application\$1 or		
_	10	program\$1)) (@ad<20001201 or @rlad<20001201 or	tions.	0004/07/00 10 50
6	10	(ead<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<20001201 or eriad<2	USPAT; US-PGPUB;	2004/07/22 12:58
		or computer\$1) with(critic\$5) with (based	EPO	
		or depend\$3) with (application\$1 or	1 250	
		program\$1) with (operation or production))		
7	l o	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 12:59
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
	•	or computer\$1) with(critic\$5) with (based	EPO	
		or depend\$3) with (application\$1 or		
	1.10	program\$1) with (payment or fee\$1))		
8	148	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:01
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	
		or computer\$1) with(Reliabl\$3 or secur\$3 or trust\$9) with (more or increase) with	EPO	
		(price or cost\$1 or expens\$2))		
9	21	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:02
		@prad<20001201) and ((node\$1 or server\$1	US-PGPUB;	2001,07,22 13.02
		or computer\$1) with (Reliab1\$3 or secur\$3	EPO	
-		or trust\$9) with (more or increase) with		
		(price or cost\$1 or expens\$2)) and		
		709/.ccls.		
10	34	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:06
		<pre>@prad<20001201) and ((node\$1 or server\$1 or computer\$1) with(Reliabl\$3 or secur\$3</pre>	US-PGPUB; EPO	
		or trust\$9) with (more or increase) with	EPO	
		(price or cost\$1 or expens\$2)) and		
		(709/.ccls. or 713/.ccls.)		
11	17914	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:15
		@prad<20001201) and ((multiple or two)	US-PGPUB;	
		near3 level (agreement or service)) and	EPO	
, ,		(709/.ccls. or 713/.ccls.)	<u> </u>	
12	46	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:18
		@prad<20001201) and ((choos\$3 or select\$3)	US-PGPUB;	
		<pre>with (server\$1 or node\$1 or computer\$1) with (application\$1 or service or</pre>	EPO	
		program\$1) with (price or fee\$1 or		
		costs\$1)) and (709/.ccls. or 713/.ccls.)		
13	49	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:25
		@prad<20001201) and (((Internet adj	US-PGPUB;	
		service adj provider)or (Internet adj	EPO	
		provider) or (Internet adj access adj		
		provider)) with (price or fee\$1 or		
أاما	_	costs\$1)) and (709/.ccls. or 713/.ccls.)		0004/07/00 10 1=
14	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/22 13:27
		<pre>@prad<20001201) and (((Internet adj service adj provider)or (Internet adj</pre>	US-PGPUB;	
		provider) or (Internet adj access adj	EPO	
		provider) with (consolidat\$3 or group\$3		
		or match\$3 or combin\$3 or centraliz\$3)		
		with (application\$1 or program\$1)) and		
		(709/.ccls. or 713/.ccls.)		1

132					
(server\$1 or node\$1 or computer\$1) with (consolidat\$3 or centraliz\$3) with (consolidat\$3 or centraliz\$3) with (application\$1 or program\$1) and (add consolidat\$3 or centraliz\$3) with (application\$1 or program\$1) and (server near5	15	132	(@ad<20001201 or @rlad<20001201 or	<u>-</u>	2004/07/22 13:37
combin33 or centrality3) with				EPO	
(application corporass color c					
16					
16					
Prad	16	5.4	• • • • • • • • • • • • • • • • • • • •	HCDAM.	2004/07/22 12:52
"security level")	1.6] 34	1 · ·	1 '	2004/07/22 13:52
17				1	
## Spradc20001201) and ("security level").ti. US-PGPUB; EPO (@ad<20001201) and ((Internet adj) US-PGPUB; EPO USPAT; US-PGPUB; EPO USPAT;	17	11			2004/07/22 13:53
C	1 '	**		1 '	2004/07/22 13.33
0			epida 20001201, and (Security level 7.01.		ļ
Sprad Sprad<	_	0	(@ad<20001201 or @rlad<20001201 or		2004/07/14 10:11
(applicationS1 or serviceS1)).ab. or (Internet add) (applicationS1 or serviceS1).ti.) and (709/713/15/3807/714/717/).ccls.					
(Internet adj (applications) or services) 1.ti.) and (7097/7137/3807/714/777).ccls. 20 ((gdad<20001201) or @rlad<20001201 or @rlad<200012				1	
Service\$1].ti.) and (709/713/182/180/714/717/).ccls. ((@ad<20001201 or @rlad<20001201 or @rlad<20001					
20			service\$1).ti.) and		
Parad(20001201) and (713/152,154,201).ccls. and firewall) and cluster (8ad<20001201) and (713/152,154,201).ccls. and firewall (8ad<20001201) and (713/152,154,201).ccls. and firewall (8ad<20001201) and (713/152,154,201).ccls. (8ad<20001201) and (713/152,154,201).ccls. (8ad<20001201) and (709/713/152,154,201).ccls. (8ad<20001201) and (709/713/152,154,201).ccls. (8ad<20001201) and (709/713/152,154,201).ccls. (8ad<20001201) and (709/713/152,154,201).ccls. (8ad<20001201) and (8witch near3 firewall) not (switch near3 firewall) not (switch near3 firewall) not (switch near1 firewall) US-PGPUB; EPO (9ad<20001201) and (switch near2 firewall) Sprad(20001201) and (switch near3 firewall) Sprad(20001201) and					
Cilister	-	20		USPAT;	2004/07/13 15:55
Cluster					
467				EPO	
Parad Para					
(713/152,154,201).ccls. and firewall (8ed-20001201) or eprad<20001201 or eprad<20001	-	467			2004/07/14 11:48
1735		1	1 *		
Parad		1735		1	2004/07/22 12 12
Comparison	-	1/35		1	2004/07/22 12:40
- 20963 (@ad<2001201 or @rlad<20001201 or USPAT; US				1	
Prad<20001201 and (709/r13/152,154,201).ccls. Pro (709/r13/152,154,201	_	20963			2004/07/15 07:26
Gad 93	1	20903		1 '	2004/07/13 07:26
93				1	
Prad<2001201 and (switch near3 firewall) not (switch near2 "or")	1_	93		1	2004/07/14 05:21
firewall) not (switch near2 "or")				1	2001/01/14 03:21
- 23 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; USPAT; US-PGPUB; EPO USPAT; USPA					
Bprad<20001201) and (switch nearl firewall)	-	23			2004/07/14 05:21
- 55			@prad<20001201) and (switch near1		
Pprad<20001201) and (switch near2 US-FGPUB; firewall) EPO USPAT; US-PGPUB; EPO USPAT;				EPO	
Firewall Gad<20001201 or @rlad<20001201 or USPAT; CO04/07/14 05:21 USPAT; EPO	-	55		USPAT;	2004/07/14 05:19
93					
Parad<20001201) and (switch near3 US-PGPUB; firewal1) EPO			,		
firewall) (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO Gend(20001201) and (internal adj firewall) Gend(20001201) and (internal adj firewall) Gend(20001201) and (internal adj (internal) Gend(20001201) and (internal) Gend(20001201) Gend(20	-	93			2004/07/14 05:21
- 61 (@ad<20001201 or @rlad<20001201 or @prad<20001201) and (internal adj firewall) - 0 (@ad<20001201) and (internal adj (713/152,154,201).ccls. and (web adj personal adj firewall) - 0 (@ad<20001201 or @rlad<20001201 or @prad<20001201 or @prad<20					
@prad<20001201) and (internal adj firewall)		61			2004/07/14 05 10
firewall (@ad<20001201 or @rlad<20001201 or @prad<20001201 or	-	0,1	(ead<20001201 or eriad<20001201 or		2004/07/14 05:19
- 0 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 0 (%ad<20001201) and (web adj personal adj firewall) - 0 (713/152,154,201).ccls. and (web adj personal adj firewall) - 0 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 5 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 6 (@ad<20001201) and (web with personal with firewall) - 8 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 8 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 1 (@ad<20001201) and (web with resids) with firewall) - 1 (@ad<20001201) and (web with resids) with firewall) - 1 (@ad<20001201) and (chinese adj wall) - 10 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO - 2 (@ad<20001201) and (chinese adj wall) - 2 (@ad<20001201) and (chinese adj wall) uS-PGPUB; EPO - 2 (@ad<20001201) and (chinese adj wall) uS-PGPUB; EPO - 2 (@ad<20001201) and (chinese adj wall) and (chinese adj wall) uS-PGPUB;					
Prad<20001201) and (713/152,154,201).ccls. and (web adj personal adj firewall) USPAT; 2004/07/14 10:14 Depart	_	۱ ،	·		2004/07/14 10:14
(713/152,154,201).ccls. and (web adj personal adj firewall) (713/152,154,201).ccls. and (web adj personal adj firewall) (8ad<20001201 or @rlad<20001201 or @rlad<20001201 or @rprad<20001201 or @rlad<20001201 o		Ĭ			2004/0//14 10.14
- 0 (@ad<20001201 or @rlad<20001201 or @prad<20001201 or @prad<200					
0 (713/152,154,201).ccls. and (web adj personal adj firewall) 5 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO Personal with firewall) 8 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO PGPTAC<20001201 and USPAT; US-PGPUB; EPO PGTAC<20001201 and USPAT; US-PGPUB; EPO PGTAC<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT;					
personal adj firewall) (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; US-PGP	_	0		USPAT:	2004/07/14 10:14
- 5 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; US-PGPUB; US-	!			l '	
<pre>@prad<20001201) and</pre>				l ·	
(713/152,154,201).ccls. and (web with personal with firewall) (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO resid\$3 with firewall) (@ad<20001201) and (web with resid\$3 with firewall) (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO value (713/152,154,201).ccls. and (chinese adj wall) (@ad<20001201) and (chinese adj wall) (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO vall) (@ad<20001201) and (chinese adj wall) (@ad<20001201) and (chinese adj wall) us-PGPUB; EPO uspat; US-PGPUB;	-	5	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 10:15
personal with firewall) (@ad<20001201 or @rlad<20001201 or USPAT; @prad<20001201) and (713/152,154,201).ccls. and (web with resid\$3 with firewall) (@ad<20001201 or @rlad<20001201 or USPAT; @prad<20001201) and (713/152,154,201).ccls. and (chinese adj (713/152,154,201).ccls. and (chinese adj (713/152,154,201).ccls. and (chinese adj (913/152)) 10 (@ad<20001201 or @rlad<20001201 or USPAT; @prad<20001201) and (chinese adj wall) 2 (@ad<20001201 or @rlad<20001201 or USPAT; @prad<20001201 or @rlad<20001201 or USPAT; @prad<20001201) and (chinese adj wall) 2 (@ad<20001201) and (chinese adj wall and US-PGPUB;			@prad<20001201) and	US-PGPUB;	
8				EPO	
<pre>### Proof of the content of the</pre>		_			
(713/152,154,201).ccls. and (web with resid\$3 with firewall) 1 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO wall) 10 (@ad<20001201) and (chinese adj wall) 10 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO wall) 2 (@ad<20001201) and (chinese adj wall) 2 (@ad<20001201) and (chinese adj wall) 2 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; US-PG	-	8			2004/07/14 10:17
resid\$3 with firewall) (@ad<20001201 or @rlad<20001201 or USPAT;					
- 1 (@ad<20001201 or @rlad<20001201 or USPAT;				EPO	
<pre>## depth</pre>	_			WORRE	0004/07/11 10 55
(713/152,154,201).ccls. and (chinese adj wall) 10 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO (@ad<20001201) and (chinese adj wall) 2 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; @prad<20001201) and (chinese adj wall and US-PGPUB;	-	1			2004/0//14 10:22
- 2 (@ad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; @prad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; EPO USPAT; @prad<20001201 or @rlad<20001201 or USPAT; US-PGPUB; US-PGPUB;					
- 10 (@ad<20001201 or @rlad<20001201 or USPAT;				L PO	
<pre>eprad<20001201) and (chinese adj wall) (@ad<20001201 or @rlad<20001201 or USPAT;</pre>	_	10		IISPAT.	2004/07/14 11:01
- 2 (@ad<20001201 or @rlad<20001201 or USPAT; USPAT; US-PGPUB; 2004/07/14 11:03		10		r e	2004/07/14 11:01
- 2 (@ad<20001201 or @rlad<20001201 or USPAT; 2004/07/14 11:03 @prad<20001201) and (chinese adj wall and US-PGPUB;]		und (onlinede du) wall/		
<pre>@prad<20001201) and (chinese adj wall and US-PGPUB;</pre>	_	2	(@ad<20001201 or @rlad<20001201 or		2004/07/14 11:03
				-	1111, 11, 11, 11, 11, 11, 11, 11, 11,
				· ·	

-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:04
		Oprad<20001201) and (firewall with	US-PGPUB;	
		compet\$3 adj (application\$1 or program\$1	EPO	
		or service\$1 or module\$1))		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:04
		@prad<20001201) and (firewall with	US-PGPUB;	
		seperate\$3 adj (application\$1 or program\$1	EPO	
	l ,	or service\$1 or module\$1))		0004/07/14 11 05
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:05
		@prad<20001201) and (firewall with	US-PGPUB;	
		seperate\$3 with (application\$1 or	EPO	
	64	program\$1 or service\$1 or module\$1)) (@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:07
_	04	eprad<20001201 of effad<20001201 of effad<200012	US-PGPUB;	2004/07/14 11:07
		(different or compet\$3 or antagonistic or	EPO	
		rival or opposing or challeng\$3 or	550	
		contend\$3 or adversary or rogue) with		
		(application\$1 or program\$1 or service\$1		
		or module\$1))		
_	110	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 11:52
		@prad<20001201) and	US-PGPUB;	2004/07/14 11:32
		(713/152,154,201).ccls. and firewall and	EPO	
		((different or compet\$3 or antagonistic or		
	1	rival or opposing or challeng\$3 or		
		contend\$3 or adversary or rogue) near2		
		(application\$1 or program\$1 or service\$1		
		or module\$1))		
-	15	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:13
		@prad<20001201) and	US-PGPUB;	
		(713/152,154,201).ccls. and firewall and	EPO	
		((compet\$3 or antagonistic or rival or		
		opposing or challeng\$3 or contend\$3 or		
		adversary or rogue) near2 (application\$1		
		or program\$1 or service\$1 or module\$1))		
-	1	5802391.pn.	USPAT;	2004/07/14 12:14
			US-PGPUB;	
ļ	_		EPO	
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:21
		@prad<20001201) and (web with server with	US-PGPUB;	
		rogue with (app\$6 or program\$1 or	EPO	
	0	service\$1 or module\$1))	IICDAM -	2004/07/14 10 01
-		(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 12:21
		<pre>@prad<20001201) and (web with server with rogue)</pre>	US-PGPUB; EPO	
_	13	(@ad<20001201 or @rlad<20001201 or	USPAT;	2004/07/14 15:18
		@prad<20001201 of @frad<20001201 of @frad<200012	US-PGPUB;	2004/07/14 15.16
		with (app\$6 or program\$1 or service\$1 or	EPO EPO	
		module\$1))		
-	2	("6377994" "6356941").pn.	USPAT;	2004/07/14 16:10
		,, , , , , , , , , , , , , , , , ,	US-PGPUB;	2001,01,11 10.10
			EPO EPO	
_	10	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:27
		@prad<20001201) and (screening with LAN)		
-	267	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:27
		@prad<20001201) and (screening with		
		(application\$1 or service\$1) and LAN)		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:28
		@prad<20001201) and (screening with		
		(application\$1 or service\$1) with pocket		
		and LAN)		
-	6	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:31
		@prad<20001201) and (screening with		
		(application\$1 or service\$1) with router		
		and LAN)		
-	453	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:32
		@prad<20001201) and (firewall with		
		(application\$1 or service\$1 or port\$1)and		
		LAN)		000445-415-5-5
-	77	,	USPAT	2004/07/15 07:54
		@prad<20001201) and (firewall with		
		(application\$1 or service\$1 or port\$1) with		
1		LAN)		

			_	
-	5	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 07:43
		@prad<20001201) and (firewall with (SAP or		
		service adj access adj point))		
-	139		USPAT	2004/07/15 07:54
		<pre>@prad<20001201) and (application near2</pre>	1	
		firewall)		
-	77		USPAT	2004/07/15 07:54
		@prad<20001201) and (application near		
		firewall\$1)		
-	68	\undersity	USPAT	2004/07/15 08:09
		<pre>@prad<20001201) and (application near firewall)</pre>		
	21	1 · · · · · ·	USPAT	2004/07/15 08:11
-	21	@prad<20001201 Of @flad<20001201 Of @flad<20001 Of @flad<	USPAI	2004/07/13 08:11
		near5 firewall)		
_	0		USPAT	2004/07/15 08:11
		@prad<20001201) and (concern with address	OUTAI	2004/07/15 00:11
		with security with firewall)		
_	2		USPAT	2004/07/15 08:14
		@prad<20001201) and (concern with		
		security with firewall)		
-	2	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 08:16
		@prad<20001201) and (personal adj		
		firewall)		
-	27	, , , , , , , , , , , , , , , , , , ,	USPAT	2004/07/15 08:16
	1	Oprad<20001201) and (software adj		
		firewall)		
-	2	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 08:16
		@prad<20001201) and (personal adj		
	30	firewall\$1) (@ad<20001201 or @rlad<20001201 or	HCDAM	2004/07/15 08:22
	30	(ead<20001201 of effad<20001201 of	USPAT	2004/07/13 08:22
		firewall\$1)		
_	14		USPAT	2004/07/15 11:38
		@prad<20001201) and (filter\$3 adj logic	001111	2001,01,10 11.30
		with port)		
-	23	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:40
		@prad<20001201) and (ISP with service adj		
		level)		
-	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:41
		@prad<20001201) and (ISP with service adj		
		level near7 (finan\$4 or money or fund\$1 or		
		income or return\$1))		
_	0	(0 = = - 0 = 0 = 0 = = 0 = 0 = 0 = 0 = 0	USPAT	2004/07/15 11:41
		Oprad<20001201) and (ISP with service adj		
		level same (finan\$4 or money or fund\$1 or income or return\$1))		
_	0	(@ad<20001201 or @rlad<20001201 or	USPAT	2004/07/15 11:41
	l	@prad<20001201 of @frad<20001201 of @prad<20001201 of @frad<20001201 of @frad<200012	USIAI	2004/01/13 11:41
		level same (finan\$4 or money or fund\$1 or		
		income or return\$1 or profit))		
-	15	• • • •	USPAT	2004/07/15 11:43
		@prad<20001201) and (ISP with service adj		
		level and (finan\$4 or money or fund\$1 or		
		income or return\$1 or profit))		
-	0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT	2004/07/15 11:43
		@prad<20001201) and (service adj level		
		with (finan\$4 or money or fund\$1 or income		
	,	or profit) with internet)	,,an	0004/05/45
-	4	(USPAT	2004/07/15 11:43
		<pre>@prad<20001201) and (service adj level with (finan\$4 or money or fund\$1 or income</pre>		
		or profit) and internet)		
	L	or brottel and threther)	L	